



Specifications Philips LED Panel  
Coreline RC132V 28.5W 3600lm - 840  
Cool White | 120x30cm - UGR <22

[View Product](#)

## General Information

|                      |                                   |
|----------------------|-----------------------------------|
| SKU                  | 246039                            |
| EAN                  | 8719514950030                     |
| Manufacturer Code    | 95003000                          |
| Brand                | Philips                           |
| Manufacturer Name    | RC132V G5 36S/840 PSU W30L120 NOC |
| Budgetlight warranty | 5 Years                           |
| Average Lifetime (h) | 50000                             |
| Product Serie        | RC132V                            |

## Technical Information

|                             |                 |
|-----------------------------|-----------------|
| Technology                  | LED Integrated  |
| Replaces (Watt)             | 2x36            |
| Wattage                     | 28.5W           |
| Voltage (V)                 | 220-240         |
| Dimmable                    | Not Dimmable    |
| Colour Code                 | 840 Cool White  |
| Colour temperature (Kelvin) | 4000 Cool White |
| Colour Rendering (Ra)       | 80-89           |
| Colour of Light             | White           |
| Light Colour Options        | Single Color    |

|                        |                   |
|------------------------|-------------------|
| Lichtdistributie       | Symmetrical       |
| Luminous Flux (Lumen)  | 3600lm            |
| Lumen per watt         | 124               |
| IP-rating              | IP44              |
| Impact Protection (IK) | IK03 - 0.35 joule |
| Fixture Connection     | Terminal, 2-pole  |
| Inclusief Driver       | Yes               |
| Powerfactor            | >0.90             |
| Type product           | LED Panel         |

## Fixture Information

---

|                       |                          |
|-----------------------|--------------------------|
| Mounting Method       | Recessed                 |
| Unified Glare Rating  | < 22 - For general areas |
| Optische Afdekking    | PS (Polystyrene)         |
| Bedrijfstemperatuur   | -10 to +40               |
| Emergency Lighting    | No                       |
| Colour of the Fixture | White                    |
| Housing               | Steel                    |
| Colour of material    | White                    |

## Dimensions

---

|                       |          |
|-----------------------|----------|
| Afmetingen LED Paneel | 120x30cm |
| Length (mm)           | 1195     |
| Width (mm)            | 295      |
| Height (mm)           | 11       |

## Sensor Information

---

Type of sensor

No Sensor

## Why Budgetlight?



Guaranteed **budget prices**



Up to **7 years warranty**



**Easy** return process



Long-life **LED solutions**